

With zero-joint perfection and over one hundred finishes, REHAU takes the stress out of modern cabinet design. We deliver so you can do what you do best - **satisfy your customers.**

REHAU offers globally curated, meticulously chosen collection of surfaces and cabinet doors for modern spaces. Our custom, fully fabricated doors make it easier, regardless of volume, to take advantage of the growing demand for modern design.

Contents

High-gloss

6 RAUVISIO brilliant™ Mirror high-gloss acrylic surface

Matte

- **12** RAUVISIO noir™ Blackout matte surface
- **16** RAUVISIO matte[™] Super-matte PET surface

Glass

- 22 RAUVISIO crystal[™] Back-painted glass acrylic surface
- **26** RAUVISIO crystal slim[™] Back-painted glass acrylic wall panel surface

Natural

- 32 RAUVISIO terra™
 Soft, textured HPL surface
- **36** RAUVISIO wave[™] Structured laminate surface

Metal

42 RAUVISIO metal[™] Authentic metal surface

Tambour

- **46** Metallic-Line[™] Metal tambour doors
- **50** Vetro-Line Glass tambour doors

Handles

54 Integrated handles Modern aluminum profiles

Shelves

56 REHAU Floating Shelves Structural storage system


Getting Started

58 Create your online account



Add depth with high-gloss

Give your clients something to reflect on for years. RAUVISIO surfaces provide the perfect solution for any type of high-gloss project.







RAUVISIO brilliant



20+ years of UV stability allow your white to stay white



Mirror-like reflective quality to view life perfectly at any angle




Double-sided high-gloss for a true monolithic panel




RAUVISIO brilliant is the next generation in high-gloss surfaces, surpassing high-quality lacquered boards with a brilliant depth effect.



surfaces using a clear top layer, we color match our PMMA top layer to the acrylic laminate, adding color depth and 20+ years of UV resistance.






Color Selection



Slab profile

High-gloss acrylic laminate High-gloss acrylic laminate LaserEdge

Shaker profile





Profile Specifications

Appearance	High-gloss
Door style	Slab and shaker
Design style	Modern, contemporary
Construction	PUR laminated face and back, REHAU LaserEdge
Shaker stiles and rails	3 in (76.2 mm), custom widths also possible
Face material	High-gloss acrylic, multiple colors
Back material	High-gloss acrylic, matching color
Edgeband	REHAU LaserEdge, matching color
Core	Super-refined MDF
Board thickness	3/4 in (19.5 mm)



Size Parameters

Minimum	3 x 5 in (76.2 x 127 mm)
Maximum	50 x 109 in (1270 x 2768.6 mm)
Minimum shaker size	6 x 12 in (152.4 x 304.8 mm) using 2.75 in. rails

Edgebanding Profile	e
----------------------------	---

Top edge	1.0 mm radius
Bottom edge	1.0 mm radius
Edgeband finish, standard	Mirror gloss, color matched
Edgeband finish, optional	V-edge two-toned metallic, color matched (select colors)

Accessory Products

1/4 in. thick components	Cut-to-size with raw edges
Integrated handle	1 17/64 and 5/64 in (32 and 2 mm)
Floating shelves	22 to 96 in (558.8 to 2438.4 mm) wide

Top: Slab door and drawer **Bottom:** Shaker door



RAUVISIO brilliant is offered as individual matching components (laminate, pressed board and edgeband) or as finished, cut-to-size components with REHAU LaserEdge applied, making high-gloss available to any shop without investment in machinery.



Board Specifications

RAUVISIO brilliant is flat-laminated to a high-quality, super-refined, engineered MDF core that is PEFC, CARB2, TSCA Title VI certified which provides a stable, consistent substrate and virtually eliminates warping.

Edgeband Specifications

All components are edgebanded with REHAU LaserEdge, which provides an extremely heat and moisture resistant seamless joint rivaling solid surfaces and exceeds high-end lacquer finishes.

Cleaning and Care

Clean with a damp microfiber cloth and with a mild soap if needed. Do not dry-wipe the acrylic finish. Avoid abrasive cleaners, solvent-based cleaners and harsh chemicals. Do not use paper towels, brushes or scouring pads. REHAU is not responsible for any damage done by abrasive cleaning products or procedures.

Protective Coat

A protective peel coat is applied to the top of the high-gloss surface, as well as to the edgebanded sides. Do not expose peel coat to direct sunlight before removal. Remove promptly after installing cabinet but prior to mounting decorative hardware. To remove peel coat, use rubber fingertips or our peel coat removal tool.