


INTEGRATO Z




LEVELLERS



SYMBOLS AND FINISHES LEGEND

SYMBOLS



= SHELF SAFELY LOCKED DURING TRANSPORTATION AND AT HOME.



= ANTI-TURNOVER LOCKING SYSTEM



= NORMS / PATENTS



= PHILLIPS / POZIDRIV



= NEWTON



= PART.NO



= HEXAGONAL SOCKET



= FRICTION



= PCS. PER PACKAGE



= BLADE SLOT



= AUTOMATIC



= COMBI SLOT



= DROP DOWN



= CAPACITY LOADING



= COUNTERSUNK HEAD



= WOOD / GLASS THICKNESS



= PAN HEAD



= STANDARD HINGE



= HOLE DIAMETER



= FLANGE HEAD



= KIMANA HINGE



= DIAMETER



= FLAT HEAD



= FLAP HINGE



= LENGTH



= TRILOBULAR SCREW



= WITH SPRING



= HEIGHT



= SELF-TAPPING SCREW



= WITHOUT SPRING



= RIGHT VERSION



= EURO THREAD



= REVERSED SPRING



= LEFT VERSION



= METRIC THREAD



= SETTING CODE



= PRE-INSERTED SCREW



= FOR ROUND TUBE



= PCS. PER PAD



= PRE-INSERTED SCREW AND SPREADING BUSH



= FOR OVAL TUBE



= CUT ON REQUEST



= WITH BUFFER



= SELF ADHESIVE



= WITH MAGNET



= WITH FLANGE

NOTE: Printing errors and omissions may exist despite our best efforts to ensure accuracy. We reserve the right to alter specifications without notice.

MATERIALS

ZA = Zinc Alloy	ST = Steel	HSS = High Speed Steel	BR = Brass	ABS = Acrylonitrile Butadiene Styrene
ZAnk = Nickel-plated Zinc Alloy	STzk = Zinc-plated Steel	AL = Aluminium	WD = Wood	EVA = Ethylene Vinyl Acetate

EP = ENGINEERING PLASTIC	SR = SOFT RUBBER
+ EP = other engineering plastic available on request	+ SR = other soft rubber available on request

EPn = Natural Engineering Plastic	EPc = Clear Engineering Plastic	SRn = Natural Soft Rubber
EPw = White Engineering Plastic	EPg = Grey Engineering Plastic	SRw = White Soft Rubber
EPwg = Water Green Engineering Plastic		SRb = Black Soft Rubber



FINISHES



= OTHER FINISHES AVAILABLE ON REQUEST

AA Natural	JB Bright Aluminium	QB Walnut
AB White	JC Aluminium - Chrome	RO Red
AC Opal White	JD Matt Aluminium	UZ T -Met
AE White 9010	JE Satin-finished Aluminium	WA Bronzed
AK Champagne	JF Aluminium - Brass	WI Burnished
AL Ivory	JG Aluminium 5	XD Satin-finished Steel
EA Black	JL Aluminium PE 11	YA Nickel-plated
EB Glossy Black	JM Aluminium RAL 9006	YB Bright Nickel-plated
EC Matt Black	KA Chrome	YC Matt Nickel-plated
EE Anthracite	KB Bright Chrome	YD Satin-finished Nickel-plated
FU Gunmetal	KC Matt Chrome	ZA Zinc alloy
GR Raw	MA Brown	ZN Zinc-plated
HA Brass-Plated	MB Light Brown 1	ZQ Bright Gold
HH Tropicalized	NN Metallic Beige	ZY Titanium
HL Raw Brass	NO Beige	ZZ Clear
IA Grey	OA Oak	00 Insignificant finish
IB Metallic Grey	OZ Ash	
IF Middle Grey	PA Light Ash	
IJ Light Grey	PZ Beech	
IL Grey 20	QA Maple	



INTEGRATO Z

Particularly suitable for wall units with weight-bearing bottoms.
A Ø 8mm through hole in the furniture bottom allows the adjustment of the independent glide by using a S6 mm allen wrench or both cross and blade screwdriver.

Zinc alloy and Engineering Plastic.


Capacity Loading: 175 Kg each



175 Kg per piece




Tested in accordance with CATAS procedures






ADJUSTMENT 7 - 17 mm


INSTALLATION



ADJUSTMENT







www.italianaferamenta.com